














ANY MAKE
ANY MODEL
ANY LOAD

KOMATSU LIEBHERR

HITACHI CATERPILLAR

BACKHOE BUCKETS KEY FEATURES





BACKHOE BUCKETS KEY FEATURES



OEM compliant

Bucket weight and volume customised for optimal productivity whilst adhering to OEM rated capacity.

Protective shrouds

Designed to suit customers preference for wear protection.



Bucket Structure


Manufactured from high quality Q&T steel to withstand extreme digging conditions.

NAKED bucket designs

Bucket can be design to operate without liners by increasing plate thickness of base bucket structure.

BACKHOE BUCKETS KEY FEATURES





Structural Bracing

Bucket ears strengthened by curved arch structure with additional bracing at hookup locations.

Curved side walls

Unique design with upper section of side cheek plates curved for added strength.

Curved Arch support

Heavy duty curved arch support. Reduces fatigue cracking at typical side wall to top lug plate intersection.

DESIGN BENEFITS

- Bucket weight & volume customised for optimal productivity at OEM rated capacity.
- Customised wear packages to suit site specific conditions.
- Option for liner free "naked" designs.
- Designed to suit either cast or plate lip.
- Customers choice of GET brand & model.
- Compatible with OEM pins & bushes.
- Custom paint available.











David Ayscough | davida@tolvr.com.au | +61 409 641 754 Brisbane CBD, QLD 4000

Paul Clarke | paulc@tolvr.com.au | +61 438 788 657 PO Box 1593, Melville South WA 6156



Panji Kariyadi | panji@tolvr.co.id +62 811 300 712 | +62 818 0824 7222

CIBIS Nine, 11th floor Jl. TB. Simatupang No.2 Cilandak Timur Jakarta Selatan, DKI Jakarta, 12560, INDONESIA